

TEST REPORT

Saldanha Bay Water Quality Forum Trust
ATTENTION: Andrew Parring
 P O Box 446
 Langebaan
 7357

Microbiology: 2816
 Enquiries: Millicent Julius
 Date: 2017-04-04

E-mail: afparring@wcdm.co.za

DATE SAMPLES RECEIVED: 2017-03-29
DATE SAMPLES TESTED: 2017-03-30
METHOD OF DELIVERY: Delivered by hand
ORDER NUMBER: 0/14
PRODUCT IDENTIFICATION: 6 x Water samples
 Tide: Low Tide
 Wind: No Wind
 01. Breakwater Saldanha (next to mussel rafts) [W555]
 02. Small Craft Harbour [W556]
 03. Government Jetty [W557]
 04. Saldanha Bay Yacht Club [W558]
 05. Pepper Bay – Southern Seas Fishing side [W559]
 06. Pepper Bay – next to sewage overflow – outlet [W560]
CONDITION OF SAMPLES: Samples received in suitable condition for testing.
REPORT NUMBER: 2816/E0419

TABLE OF RESULTS:

TESTS REQUESTED	TEST METHOD	SANAS ACCREDITED	RESULTS		
			W555	W556	W557
Faecal coliforms per 100 ml	SANS 5221	Yes	ND	ND	109
E.coli per 100 ml	SANS 5221	Yes	ND	ND	109

TESTS REQUESTED	TEST METHOD	SANAS ACCREDITED	RESULTS		
			W558	W559	W560
Faecal coliforms per 100 ml	SANS 5221	Yes	2	42	4
E.coli per 100 ml	SANS 5221	Yes	2	42	3

CONFIDENTIALITY NOTE:

This message is intended only for the use of the individual or entity to which it is addressed and in terms of Section 32 of the Standards Act, 2008, it contains information that is strictly confidential. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any disclosure, distribution, copying or the taking of any action in reliance on the contents of this communication, is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone to arrange for the return of this document to us.

Liesbeek Parkway Rosebank Cape Town, PO Box 615 Rondebosch 7701
 Tel: +27 (021) 681-6700, Fax: +27 (021) 681-6701.

This test was performed by SABS Commercial (SOC) Ltd.
 This report relates only to the specific sample(s) tested as identified herein. It does not imply SABS approval of the quality and/or performance of the item(s) in question and the test results do not apply to any similar item that has not been tested. (Refer also to the complete conditions printed on the back of the official test reports.)



The acceptance of an item for test and the issue of a test report are subjected to the SABS's CONDITIONS OF TEST*, from which the following have been extracted:

1. If published or reproduced by the client, a test report shall be reproduced **in full**, i.e. the reproduction shall contain the printed as well as the typed parts of the report, nothing excepted. In special circumstances an abridged form of the report or certain parts of the report may be published or reproduced, provided that the abridged form or partial version of the report is approved in writing by the President and CEO of the SABS before publication or issue.
2. A test report relates only to an item submitted for the actual test. It furnishes or implies no guarantee whatsoever in respect of a similar item that has not been tested.
3. The performance of a test and the issue of a test report do not imply approval by the SABS of the quality and/or performance of the item that has been tested. This does not authorize the use of a certification mark.

NOTE - An unlawful statement implying that an item has been approved by the SABS constitutes a punishable offence in terms of section 21(1) of the Standards Act.

4. While every endeavour will be made to ensure that a test is representative and accurately performed, and that a report is accurate in the quoted results and conclusions drawn from the test, the SABS or its officers shall in no way be liable for any error made in carrying out the test or for any erroneous statement, whether in fact or in opinion, contained in a report issued pursuant to a test.

*Obtainable upon request from the President and CEO, SABS, Private Bag X191, Pretoria, 0001.

TEST REPORT No. 2816/E0419
TOETSVERSLAGNO.

Page/Bladsy
2 of 3

PRODUCT IDENTIFICATION:8 x Water samples

Tide: Low Tide

Wind: No Wind

07. Hoedjiesbaai

08. Saldanha Bay Holiday Resort

09. Bok Rivier at Blue Water Bay

10. Portnet – the side facing Saldanha Bay

11. Portnet – the side facing Langebaan

12. Paraside Beach

13. Club Mykonos

14. Strandloper – next to outlet from Country Club

[W561]

[W562]

[W563]

[W564]

[W565]

[W566]

[W567]

[W568]

TABLE OF RESULTS:

TESTS REQUESTED	TEST METHOD	SANAS ACCREDITED	RESULTS		
			W561	W562	W563
Faecal coliforms per 100 ml	SANS 5221	Yes	13	24	27
E.coli per 100 ml	SANS 5221	Yes	13	14	21

TESTS REQUESTED	TEST METHOD	SANAS ACCREDITED	RESULTS		
			W564	W565	W566
Faecal coliforms per 100 ml	SANS 5221	Yes	ND	ND	1
E.coli per 100 ml	SANS 5221	Yes	ND	ND	ND

TESTS REQUESTED	TEST METHOD	SANAS ACCREDITED	RESULTS	
			W567	W568
Faecal coliforms per 100 ml	SANS 5221	Yes	3	ND
E.coli per 100 ml	SANS 5221	Yes	3	ND

This report relates only to the specific sample(s) tested as identified herein. It does not imply SABS approval of the quality and/or performance of the item(s) in question and the test results do not apply to any similar item that has not been tested. (Refer also to the complete conditions printed on the back of official test reports.)

Hierdie verslag het slegs betrekking op die spesifieke monster(s) wat getoets is, soos hierin geïdentifiseer. Dit impliseer nie dat die kwaliteit en/of prestasie van die betrokke artikel(s) deur die SABS goedgekeur is nie en die toetsresultate is nie van toepassing op 'n artikel wat nie getoets is nie. (Sien ook die volledige voorwaardes op die rugkant amptelike toetsverslae.)

PRODUCT IDENTIFICATION:

6 x Water samples

Tide: Low Tide

Wind: No Wind

15. Langebaan Beach Houses – North Street

16. Pearly's

17. Langebaan Yacht Club

18. Klein Oostewal Beach

19. Kraalbaai North

20. Kraalbaai South

[W569]

[W570]

[W571]

[W572]

[W573]

[W574]

TABLE OF RESULTS:

TESTS REQUESTED	TEST METHOD	SANAS ACCREDITED	RESULTS		
			W569	W570	W571
Faecal coliforms per 100 ml	SANS 5221	Yes	ND	2	1
E.coli per 100 ml	SANS 5221	Yes	ND	1	ND

TESTS REQUESTED	TEST METHOD	SANAS ACCREDITED	RESULTS		
			W572	W573	W574
Faecal coliforms per 100 ml	SANS 5221	Yes	1	3	4
E.coli per 100 ml	SANS 5221	Yes	1	2	3

Note: ND = Not detected in the undiluted water (10°)



Mncedisi Msuthu – Test Officer



Christal Josias – Technical Signatory

This report relates only to the specific sample(s) tested as identified Herein. It does not imply SABS approval of the quality and/or performance of the item(s) in question and the test results do not apply to any similar item that has not been tested. (Refer also to the complete conditions printed on the back of official test reports.)

Hierdie verslag het slegs betrekking op die spesifieke monster(s) wat getoets is, soos hierin geïdentifiseer. Dit impliseer nie dat die kwaliteit en/of prestasie van die betrokke artikel(s) deur die SABS goedgekeur is nie en die toetsresultate is nie van toepassing op 'n artikel wat nie getoets is nie. (Sien ook die volledige voorwaardes op die rugkant amptelike toetsverslae.)