

TEST REPORT

Saldanha Bay Water Quality Forum Trust
ATTENTION: Brandon Fritz
 P O Box 446
 LANGEBAAN
 7357

Microbiology: 2816
Enquiries: Millicent Julius
Date: 2018-10-18

E-mail: bfritz@wcdm.co.za / metsal@imagnet.co.za

DATE SAMPLES RECEIVED: 2018-10-10
DATE SAMPLES TESTED: 2018-10-10
METHOD OF DELIVERY: Delivered by hand
ORDER NUMBER: 0/14
PRODUCT IDENTIFICATION: 3 x Water samples
 Tide: Low tide
 Wind: Lightly South East
 01. Breakwater Saldanha (next to mussel rafts)
 02. Small Craft Harbour
 03. Government Jetty

CONDITION OF SAMPLES: Samples received in suitable condition for testing.
REPORT NUMBER: 2816/F1127

[W1430]
 [W1431]
 [W1432]

TABLE OF RESULTS:

TESTS REQUESTED	TEST METHOD	SANAS ACCREDITED	RESULTS		
			W1430	W1431	W1432
Faecal coliforms per 100 ml	SANS 5221	Yes	ND	345	ND
E.coli per 100 ml	SANS 5221	Yes	ND	276	ND

CONFIDENTIALITY NOTE:

This message is intended only for the use of the individual or entity to which it is addressed and in terms of Section 32 of the Standards Act, 2008, it contains information that is strictly confidential. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any disclosure, distribution, copying or the taking of any action in reliance on the contents of this communication, is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone to arrange for the return of this document to us.

Liesbeek Parkway, Rosebank, PO Box 615, Rondebosch, Cape Town 7701
 Tel +27 (0) 21 681 6700. Fax +27 (0) 21 681 6701

SABS Commercial SOC Ltd conducted a conformity assessment pertaining to a sample of the product, commodity or system identified and the outcome recorded in this test report only relates to that specified sample. The conformity assessment outcomes recorded in the test report do not imply SABS Approval of the quality and/or performance of the sample(s) in question and the test results do not apply to any similar sample that has not been tested. (Refer also to the conditions of test printed on the back of this page.) This report may not be reproduced except in full. The authenticity of this report and its contents can be confirmed by contacting the person who signed it.



The acceptance of a sample for test and the issue of a test report are subject to SABS' Conditions of Test, which are the following:

1. If published or reproduced by the client, a test report shall be reproduced in full, i.e. the reproductions shall contain the printed as well as the typed parts of the report, nothing excerpted.
2. A test report relates only to a sample submitted for the actual test. It furnishes or implies no guarantee whatsoever in respect of a similar sample that has not been tested by the SABS.
3. This test report does not imply that the user has obtained pre-approval to apply the SABS certification mark nor does it imply approval by SABS, of the quality and/or performance of the sample that has been tested. No person may falsely claim or declare that any commodity, product or service complies with a South African National Standard or other publication of the SABS.
4. While every endeavour will be made to ensure that a test is representative and accurately performed, and that a report is accurate in the quoted results and conclusions drawn from the test, in terms of the Standards Act, SABS or its officers shall not be liable for anything done or omitted in good faith when error made in carrying a test.

TEST REPORT No. 2816/F1127
TOETSVERSLAGNO.

Page/Bladsy
2 of 3

PRODUCT IDENTIFICATION: 9 x Water samples

Tide: Low tide

Wind: Lightly South East

04. Saldanha Bay Yacht Club

05. Pepper Bay – Southern Seas Fishing side

06. Pepper Bay – next to sewage overflow – outlet

07. Hoedjiesbaai

08. Saldanha Bay Holiday Resort

09. Bok Rivier at Blue Water Bay

10. Portnet – the side facing Saldanha Bay

11. Portnet – the side facing Langebaan

12. Paraside Beach

[W1433]

[W1434]

[W1435]

[W1436]

[W1437]

[W1438]

[W1439]

[W1440]

[W1441]

TABLE OF RESULTS:

TESTS REQUESTED	TEST METHOD	SANAS ACCREDITED	RESULTS		
			W1433	W1434	W1435
Faecal coliforms per 100 ml	SANS 5221	Yes	4	69	1
E.coli per 100 ml	SANS 5221	Yes	4	69	1

TESTS REQUESTED	TEST METHOD	SANAS ACCREDITED	RESULTS		
			W1436	W1437	W1438
Faecal coliforms per 100 ml	SANS 5221	Yes	30	4	11
E.coli per 100 ml	SANS 5221	Yes	30	4	11

TESTS REQUESTED	TEST METHOD	SANAS ACCREDITED	RESULTS		
			W1439	W1440	W1441
Faecal coliforms per 100 ml	SANS 5221	Yes	19	3	1
E.coli per 100 ml	SANS 5221	Yes	19	3	1

This report relates only to the specific sample(s) tested as identified herein. It does not imply SABS approval of the quality and/or performance of the item(s) in question and the test results do not apply to any similar item that has not been tested. (Refer also to the complete conditions printed on the back of official test reports.)

Hierdie verslag het slegs betrekking op die spesifieke monster(s) wat getoets is, soos hierin geïdentifiseer. Dit impliseer nie dat die kwaliteit en/of prestasie van die betrokke artikel(s) deur die SABS goedgekeur is nie en die toetsresultate is nie van toepassing op 'n artikel wat nie getoets is nie. (Sien ook die volledige voorwaardes op die rugkant amptelike toetsverslae.)

TEST REPORT No. 2816/F1127
TOETSVERSLAGNO.

Page/Bladsy
3 of 3

PRODUCT IDENTIFICATION:8 x Water samples

Tide: Low tide

Wind: Lightly South East

13. Club Mykonos

14. Strandloper – next to outlet from Country Club

15. Langebaan Beach Houses – North Street

16. Pearly's

17. Langebaan Yacht Club

18. Klein Oosteval Beach

19. Kraalbaai North

20. Kraalbaai South

[W1442]

[W1443]

[W1444]

[W1445]

[W1446]

[W1447]

[W1448]

[W1449]

TABLE OF RESULTS:

TESTS REQUESTED	TEST METHOD	SANAS ACCREDITED	RESULTS		
			W1442	W1443	W1444
Faecal coliforms per 100 ml	SANS 5221	Yes	16	4	3
E.coli per 100 ml	SANS 5221	Yes	16	4	3

TESTS REQUESTED	TEST METHOD	SANAS ACCREDITED	RESULTS		
			W1445	W1446	W1447
Faecal coliforms per 100 ml	SANS 5221	Yes	5	1	5
E.coli per 100 ml	SANS 5221	Yes	5	1	4

TESTS REQUESTED	TEST METHOD	SANAS ACCREDITED	RESULTS	
			W1448	W1449
Faecal coliforms per 100 ml	SANS 5221	Yes	3	3
E.coli per 100 ml	SANS 5221	Yes	2	3

Note: ND = Not detected in the undiluted water (10°).



Neliswa Dinga – Technical Signatory



Christal Josias – Technical Signatory

This report relates only to the specific sample(s) tested as identified herein. It does not imply SABS approval of the quality and/or performance of the item(s) in question and the test results do not apply to any similar item that has not been tested. (Refer also to the complete conditions printed on the back of official test reports.)

Hierdie verslag het slegs betrekking op die spesifieke monster(s) wat getoets is, soos hierin geïdentifiseer. Dit impliseer nie dat die kwaliteit en/of prestasie van die betrokke artikel(s) deur die SABS goedgekeur is nie en die toetsresultate is nie van toepassing op 'n artikel wat nie getoets is nie. (Sien ook die volledige voorwaardes op die rugkant amptelike toetsverslae)

