



This report replaces micro report CT 21-036417

Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences
 7 Warrington Road / Claremont
 Cape Town / South Africa / 7708
 Tel: +27 (21) 683 8436 / Fax: +27 (21) 683 8422
 Email: za-info@mxns.com
www.merieuxnutrisciences.com/za

Customer:	The Saldanha Bay Water Quality Forum Trust
COA Date:	28 September 2021
Project No.:	CT 21-036417A
Page:	1/4

Analysed By: Swift Silliker (PTY) LTD t/a Mérieux NutriSciences
 7 Warrington Road
 Claremont 7708
 Western Province
 Phone: +27 683 8436 Fax: +27 683 8420

The Saldanha Bay Water Quality Forum Trust

P.O. Box 446

Langebaan

7357

Western Cape

Frederick C Van Wyk

The Saldanha Bay Water Quality Forum Trust
 P.O. Box 446
 Langebaan
 7357
 Western Cape
 Email: metsal@imaginet.co.za

** Denotes customer supplied information.

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036417A-001

Sample N°: 3919306

Test Date: 15/09/2021

Category Detail: Water

Sample Conditions: SEALED

Date received: 15/09/2021

Product Description:** Seawater: No.1 - Breakwater Saldanha next to mussel rafts

COA Remark:** 15/09/21 – Tide: Low – Time: 5:45

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	1	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	2	cfu/100ml	

Directors: V. Stewart (Managing), A. Lamb rechts, P. Sans (France), S. Schneider (France), J-F . Billet (France) / Reg. No 2000/ 025067/07

- TMA = Total Microbial Activity / Total Viable Plate Count.
- Limit of detection of Conventional Plate Count Methods = 10 CPU, unless otherwise specified.
- A test report relates only to the specific item submitted for testing. It furnishes or implies no guarantee whatsoever, in respect of a similar item that has not been tested.
- Method numbers refer to in-house methods. Standard test method references available on request.
- Detection times only relevant to certain test methods, where Malthus Systems are applicable.
- The test report shall not be reproduced except in full without written approval of Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences.



Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences

7 Warrington Road / Claremont
Cape Town / South Africa / 7708
Tel: +27 (21) 683 8436 / Fax: +27 (21) 683 8422
Email: za-info@mxns.com
www.merieuxnutrisciences.com/za

Customer:	The Saldanha Bay Water Quality Forum Trust
COA Date:	28 September 2021
Project No.	CT 21-036417A
Page	2/4

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036417A-002

Sample N°: 3919307

Test Date: 15/09/2021

Category Detail: Water

Sample Conditions: SEALED

Date received: 15/09/2021

Product Description:** Seawater: No.2 - Small craft Harbour

COA Remark:** 15/09/21 – Tide: Low – Time: 5:54

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	5	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	2	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036417A-003

Sample N°: 3919308

Test Date: 15/09/2021

Category Detail: Water

Sample Conditions: SEALED

Date received: 15/09/2021

Product Description:** Seawater: No.3 - Government Jetty

COA Remark:** 15/09/21 – Tide: Low – Time: 6:02

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	16	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036417A-004

Sample N°: 3919309

Test Date: 15/09/2021

Category Detail: Water

Sample Conditions: SEALED

Date received: 15/09/2021

Product Description:** Seawater: No.4 - Saldanha Bay Yacht Club

COA Remark:** 15/09/21 – Time: 6:11

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	1	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	No Growth	cfu/100ml	

Directors: V. Stewart (Managing), A. Lamb rechts, P. Sans (France), S. Schneider (France), J-F . Billet (France) / Reg. No 2000/ 025067/07

- TMA = Total Microbial Activity / Total Viable Plate Count.
- Limit of detection of Conventional Plate Count Methods = 10 CPU, unless otherwise specified.
- A test report relates only to the specific item submitted for testing. It furnishes or implies no guarantee whatsoever, in respect of a similar item that has not been tested.
- Method numbers refer to in-house methods. Standard test method references available on request.
- Detection times only relevant to certain test methods, where Malthus Systems are applicable.
- The test report shall not be reproduced except in full without written approval of Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences.



Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences
 7 Warrington Road / Claremont
 Cape Town / South Africa / 7708
 Tel: +27 (21) 683 8436 / Fax: +27 (21) 683 8422
 Email: za-info@mxns.com
www.merieuxnutrisciences.com/za

Customer:	The Saldanha Bay Water Quality Forum Trust
COA Date:	28 September 2021
Project No.	CT 21-036417A
Page	3/4

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036417A-005 **Sample N°:** 3919310 **Test Date:** 15/09/2021
Category Detail: Water **Sample Conditions:** SEALED **Date received:** 15/09/2021
Product Description:** Seawater: No.5 - Pepper Bay – Southern Seas Fishing side
COA Remark:** 15/09/21 – Tide: Low – Time: 6:18

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	8	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	12	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036417A-006 **Sample N°:** 3919311 **Test Date:** 15/09/2021
Category Detail: Water **Sample Conditions:** SEALED **Date received:** 15/09/2021
Product Description:** Seawater: No.6 - Pepper Bay next to sewage overflow - outlet
COA Remark:** 15/09/21 – Tide: Low – Time: 6:24

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	No Growth	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	2	cfu/100ml	

Directors: V. Stewart (Managing), A. Lamb rechts, P. Sans (France), S. Schneider (France), J-F . Billet (France) / Reg. No 2000/ 025067/07

- TMA = Total Microbial Activity / Total Viable Plate Count.
- Limit of detection of Conventional Plate Count Methods = 10 CPU, unless otherwise specified.
- A test report relates only to the specific item submitted for testing. It furnishes or implies no guarantee whatsoever, in respect of a similar item that has not been tested.
- Method numbers refer to in-house methods. Standard test method references available on request.
- Detection times only relevant to certain test methods, where Malthus Systems are applicable.
- The test report shall not be reproduced except in full without written approval of Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences.



Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences
 7 Warrington Road / Claremont
 Cape Town / South Africa / 7708
 Tel: +27 (21) 683 8436 / Fax: +27 (21) 683 8422
 Email: za-info@mxns.com
www.merieuxnutrisciences.com/za

Customer:	The Saldanha Bay Water Quality Forum Trust
COA Date:	28 September 2021
Project No.	CT 21-036417A
Page	4/4

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036417A-007

Category Detail: Water

Product Description:** Seawater: No.7 - Hoedjiesbaai

COA Remark:** 16/09/21 – Tide: Low – Time: 6:32

Sample N°: 3919312

Sample Conditions: SEALED

Test Date: 15/09/2021

Date received: 15/09/2021

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	3	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	18	cfu/100ml	

Technical Signatory

Directors: V. Stewart (Managing), A. Lamb rechts, P. Sans (France), S. Schneider (France), J-F . Billet (France) / Reg. No 2000/ 025067/07

- TMA = Total Microbial Activity / Total Viable Plate Count.
- Limit of detection of Conventional Plate Count Methods = 10 CPU, unless otherwise specified.
- A test report relates only to the specific item submitted for testing. It furnishes or implies no guarantee whatsoever, in respect of a similar item that has not been tested.
- Method numbers refer to in-house methods. Standard test method references available on request.
- Detection times only relevant to certain test methods, where Malthus Systems are applicable.
- The test report shall not be reproduced except in full without written approval of Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences.



This report replaces micro report CT 21-036451

Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences
 7 Warrington Road / Claremont
 Cape Town / South Africa / 7708
 Tel: +27 (21) 683 8436 / Fax: +27 (21) 683 8422
 Email: za-info@mxns.com
www.merieuxnutrisciences.com/za

Customer:	The Saldanha Bay Water Quality Forum Trust
COA Date:	28 September 2021
Project No.	CT 21-036451A
Page	1/4

Analysed By: Swift Silliker (PTY) LTD t/a Mérieux NutriSciences
7 Warrington Road
Claremont 7708
Western Province
Phone: +27 683 8436 Fax: +27 683 8420

The Saldanha Bay Water Quality Forum Trust
P.O. Box 446
Langebaan
7357
Western Cape
Email: metsal@imagnet.co.za

The Saldanha Bay Water Quality Forum Trust

P.O. Box 446

Langebaan

7357

Western Cape

Frederick C Van Wyk

**** Denotes customer supplied information.**

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036451A-001

Sample N°: 3919667

Test Date: 15/09/2021

Category Detail: Water

Sample Conditions: SEALED

Date received: 15/09/2021

Product Description:** Seawater: No.8 – Saldanha Holiday Resort

COA Remark:** 15/09/21 – Tide: Low – Time: 6:41

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	No Growth	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	2	cfu/100ml	

Directors: V. Stewart (Managing), A. Lamb rechts, P. Sans (France), S. Schneider (France), J-F . Billet (France) / Reg. No 2000/ 025067/07

- TMA = Total Microbial Activity / Total Viable Plate Count.
- Limit of detection of Conventional Plate Count Methods = 10 CPU, unless otherwise specified.
- A test report relates only to the specific item submitted for testing. It furnishes or implies no guarantee whatsoever, in respect of a similar item that has not been tested.
- Method numbers refer to in-house methods. Standard test method references available on request.
- Detection times only relevant to certain test methods, where Malthus Systems are applicable.
- The test report shall not be reproduced except in full without written approval of Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences.



Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences
 7 Warrington Road / Claremont
 Cape Town / South Africa / 7708
 Tel: +27 (21) 683 8436 / Fax: +27 (21) 683 8422
 Email: za-info@mxns.com
www.merieuxnutrisciences.com/za

Customer:	The Saldanha Bay Water Quality Forum Trust
COA Date:	28 September 2021
Project No.	CT 21-036451A
Page	2/4

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036451A-002 **Sample N°:** 3919668 **Test Date:** 15/09/2021
Category Detail: Water **Sample Conditions:** SEALED **Date received:** 15/09/2021
Product Description:** Seawater: No.9 – Bok River At Blue Water Bay
COA Remark:** 15/09/21 – Tide: Low – Time: 6:53

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	>150	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	124	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036451A-003 **Sample N°:** 3919669 **Test Date:** 15/09/2021
Category Detail: Water **Sample Conditions:** SEALED **Date received:** 15/09/2021
Product Description:** Seawater: No.10 – Portnet – The Side Facing Saldanha
COA Remark:** 15/09/21 – Tide: Low – Time: 7:14

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	1	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036451A-004 **Sample N°:** 3919670 **Test Date:** 15/09/2021
Category Detail: Water **Sample Conditions:** SEALED **Date received:** 15/09/2021
Product Description:** Seawater: No.11 – Portnet – The Side Facing Langebaan
COA Remark:** 15/09/21 – Tide: Low – Time: 7:26

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	No Growth	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	No Growth	cfu/100ml	

Directors: V. Stewart (Managing), A. Lamb rechts, P. Sans (France), S. Schneider (France), J-F . Billet (France) / Reg. No 2000/ 025067/07

- TMA = Total Microbial Activity / Total Viable Plate Count.
- Limit of detection of Conventional Plate Count Methods = 10 CPU, unless otherwise specified.
- A test report relates only to the specific item submitted for testing. It furnishes or implies no guarantee whatsoever, in respect of a similar item that has not been tested.
- Method numbers refer to in-house methods. Standard test method references available on request.
- Detection times only relevant to certain test methods, where Malthus Systems are applicable.
- The test report shall not be reproduced except in full without written approval of Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences.



Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences
 7 Warrington Road / Claremont
 Cape Town / South Africa / 7708
 Tel: +27 (21) 683 8436 / Fax: +27 (21) 683 8422
 Email: za-info@mxns.com
www.merieuxnutrisciences.com/za

Customer:	The Saldanha Bay Water Quality Forum Trust
COA Date:	28 September 2021
Project No.	CT 21-036451A
Page	3/4

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036451A-005 **Sample N°:** 3919671 **Test Date:** 15/09/2021
Category Detail: Water **Sample Conditions:** SEALED **Date received:** 15/09/2021
Product Description:** Seawater: No.12 – Paradise Beach
COA Remark:** 15/09/21 – Tide: Low – Time: 8:00

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	No Growth	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036451A-006 **Sample N°:** 3919672 **Test Date:** 15/09/2021
Category Detail: Water **Sample Conditions:** SEALED **Date received:** 15/09/2021
Product Description:** Seawater: No.13 – Club Mykonos
COA Remark:** 15/09/21 – Tide: High – Time: 8:13

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	No Growth	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	4	cfu/100ml	

Directors: V. Stewart (Managing), A. Lamb rechts, P. Sans (France), S. Schneider (France), J-F. Billet (France) / Reg. No 2000/ 025067/07

- TMA = Total Microbial Activity / Total Viable Plate Count.
- Limit of detection of Conventional Plate Count Methods = 10 CPU, unless otherwise specified.
- A test report relates only to the specific item submitted for testing. It furnishes or implies no guarantee whatsoever, in respect of a similar item that has not been tested.
- Method numbers refer to in-house methods. Standard test method references available on request.
- Detection times only relevant to certain test methods, where Malthus Systems are applicable.
- The test report shall not be reproduced except in full without written approval of Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences.



Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences
 7 Warrington Road / Claremont
 Cape Town / South Africa / 7708
 Tel: +27 (21) 683 8436 / Fax: +27 (21) 683 8422
 Email: za-info@mxns.com
www.merieuxnutrisciences.com/za

Customer:	The Saldanha Bay Water Quality Forum Trust
COA Date:	28 September 2021
Project No.	CT 21-036451A
Page	4/4

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036451A-007 **Sample N°:** 3919673
Category Detail: Water **Sample Conditions:** SEALED
Product Description:** Seawater: No.14 – Strandloper Next to Outlet From Country Club
COA Remark:** 15/09/21 – Tide: High – Time: 8:31

Test Date: 15/09/2021
Date received: 15/09/2021

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	1	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	No Growth	cfu/100ml	

Technical Signatory

Directors: V. Stewart (Managing), A. Lamb rechts, P. Sans (France), S. Schneider (France), J-F . Billet (France) / Reg. No 2000/ 025067/07

- TMA = Total Microbial Activity / Total Viable Plate Count.
- Limit of detection of Conventional Plate Count Methods = 10 CPU, unless otherwise specified.
- A test report relates only to the specific item submitted for testing. It furnishes or implies no guarantee whatsoever, in respect of a similar item that has not been tested.
- Method numbers refer to in-house methods. Standard test method references available on request.
- Detection times only relevant to certain test methods, where Malthus Systems are applicable.
- The test report shall not be reproduced except in full without written approval of Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences.



Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences
 7 Warrington Road / Claremont
 Cape Town / South Africa / 7708
 Tel: +27 (21) 683 8436 / Fax: +27 (21) 683 8422
 Email: za-info@mxns.com
www.merieuxnutrisciences.com/za

This report replaces micro report CT 21-036439

Customer:	The Saldanha Bay Water Quality Forum Trust
COA Date:	28 September 2021
Project No.	CT 21-036439A
Page	1/3

Analysed By: Swift Silliker (PTY) LTD t/a Mérieux NutriSciences
7 Warrington Road
Claremont 7708
Western Province
Phone: +27 683 8436 Fax: +27 683 8420

The Saldanha Bay Water Quality Forum Trust

P.O. Box 446

Langebaan

7357

Western Cape

Frederick C Van Wyk

The Saldanha Bay Water Quality Forum Trust
P.O. Box 446
Langebaan
7357
Western Cape
Email: metsal@imaginet.co.za

**** Denotes customer supplied information.**

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036439A-001

Sample N°: 3919567

Test Date: 15/09/2021

Category Detail: Water

Sample Conditions: SEALED

Date received: 15/09/2021

Product Description:** Seawater: No.15 – Langebaan Beach House; North Street

COA Remark:** 15/09/21 – Time: 08:46

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	No Growth	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	2	cfu/100ml	

Directors: V. Stewart (Managing), A. Lamb rechts, P. Sans (France), S. Schneider (France), J-F . Billet (France) / Reg. No 2000/ 025067/07

- TMA = Total Microbial Activity / Total Viable Plate Count.
- Limit of detection of Conventional Plate Count Methods = 10 CPU, unless otherwise specified.
- A test report relates only to the specific item submitted for testing. It furnishes or implies no guarantee whatsoever, in respect of a similar item that has not been tested.
- Method numbers refer to in-house methods. Standard test method references available on request.
- Detection times only relevant to certain test methods, where Malthus Systems are applicable.
- The test report shall not be reproduced except in full without written approval of Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences.



Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences
 7 Warrington Road / Claremont
 Cape Town / South Africa / 7708
 Tel: +27 (21) 683 8436 / Fax: +27 (21) 683 8422
 Email: za-info@mxns.com
www.merieuxnutrisciences.com/za

Customer:	The Saldanha Bay Water Quality Forum Trust
COA Date:	28 September 2021
Project No.	CT 21-036439A
Page	2/3

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036439A-002
Category Detail: Water
Product Description:** Seawater: No.16 – Pearlys
COA Remark:** 15/09/21 – Time: 08:54

Sample N°:3919568
Sample Conditions: SEALED

Test Date: 15/09/2021
Date received: 15/09/2021

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	9	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	1	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036439A-003
Category Detail: Water
Product Description:** Seawater: No.17 – Yacht Club
COA Remark:** 15/09/21 – Time: 09:30

Sample N°:3919569
Sample Conditions: SEALED

Test Date: 15/09/2021
Date received: 15/09/2021

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	1	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	1	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036439A-004
Category Detail: Water
Product Description:** Seawater: No.18 – Klein Oostewal Beach
COA Remark:** 15/09/21 – Time: 09:13

Sample N°:3919570
Sample Conditions: SEALED

Test Date: 15/09/2021
Date received: 15/09/2021

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	No Growth	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	3	cfu/100ml	

Directors: V. Stewart (Managing), A. Lamb rechts, P. Sans (France), S. Schneider (France), J-F . Billet (France) / Reg. No 2000/ 025067/07

- TMA = Total Microbial Activity / Total Viable Plate Count.
- Limit of detection of Conventional Plate Count Methods = 10 CPU, unless otherwise specified.
- A test report relates only to the specific item submitted for testing. It furnishes or implies no guarantee whatsoever, in respect of a similar item that has not been tested.
- Method numbers refer to in-house methods. Standard test method references available on request.
- Detection times only relevant to certain test methods, where Malthus Systems are applicable.
- The test report shall not be reproduced except in full without written approval of Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences.



Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences

7 Warrington Road / Claremont
Cape Town / South Africa / 7708
Tel: +27 (21) 683 8436 / Fax: +27 (21) 683 8422
Email: za-info@mxns.com
www.merieuxnutrisciences.com/za

Customer: The Saldanha Bay Water Quality Forum Trust
COA Date: 28 September 2021
Project No. CT 21-036439A
Page 3/3

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036439A-005

Sample N°: 3919571

Test Date: 15/09/2021

Category Detail: Water

Sample Conditions: SEALED

Date received: 15/09/2021

Product Description:** Seawater: No19 – Kraalbaai North

COA Remark:** 15/09/21 – Time: 08:03

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	No Growth	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	1	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 21-036439A-006

Sample N°: 3919572

Test Date: 15/09/2021

Category Detail: Water

Sample Conditions: SEALED

Date received: 15/09/2021

Product Description:** Seawater: No.20 - Kraalbaai South

COA Remark:** 15/09/21 – Time: 08:11

ANALYTICAL RESULTS

Test	Analysis Start Date	Results	Units	Limits [Target value]
Escherichia Coli METHOD: SWJM 45	15/09/2021	No Growth	cfu/100ml	
Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	15/09/2021	2	cfu/100ml	

Technical Signatory

Directors: V. Stewart (Managing), A. Lamb rechts, P. Sans (France), S. Schneider (France), J-F . Billet (France) / Reg. No 2000/ 025067/07

- TMA = Total Microbial Activity / Total Viable Plate Count.
- Limit of detection of Conventional Plate Count Methods = 10 CPU, unless otherwise specified.
- A test report relates only to the specific item submitted for testing. It furnishes or implies no guarantee whatsoever, in respect of a similar item that has not been tested.
- Method numbers refer to in-house methods. Standard test method references available on request.
- Detection times only relevant to certain test methods, where Malthus Systems are applicable.
- The test report shall not be reproduced except in full without written approval of Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences.